

ComFi C10

4G Wireless Router / CPE

Product Specifications



- Plug and Play, Fast and Easy Installation For Use
- Support VoLTE and Built-in Internet Backup Battery (Optional)
- Support 4G LTE CAT4 LTE-FDD and LTE-TDD
- Adaptive WAN/LAN Ethernet Port, Auto Switch 4G / WAN
- Omni-Directional High Gain 4G Internal Antenna or External Antenna

Product Description

The ComFi C10 4G LTE Wireless Router / CPE (Customer Premise Equipment) provides superior wireless access performance and comprehensive routing capabilities to bring wireless broadband data and 4G voice services to end-users. It converts high-speed LTE FDD/TDD signal to Wi-Fi signals on the local area network (LAN) and Wireless LAN (WLAN). Wireless and wired devices which including mobile phones, laptops, tablets, printers, IP cameras and other smart devices, can access the ComFi C10 4G LTE Wireless Router / CPE simultaneously.

Hardware Specifications

Main Hardware

SIM Card	1 x SIM/USIM Slot, 1.8V / 3.0V 2FF USIM
Ethernet	1 x RJ45 10/100Mbps Ethernet Port, Adaptive, Auto MDX (Auto WAN/LAN)
Voice	1 x RJ11 VoLTE Telephone Port (Optional)
USB	1 x USB 2.0 Host Port (For Debug Purpose Only)
Battery	2600mAH Li-ion Backup Battery (Optional)
Power Supply	1 x Power Adapter: Power Input 100V-240V AC 50/60Hz, Power Output 12V/1A DC Power
	1 x Standard Power Input Jack, 12VDC
Power Button	Power ON/OFF Switch Button
Reset	1 x Pin-hole Reset Button. Long press 3-second to activate factory settings restore
WPS	1 x WPS Button
LED Indicators	1 x Power LED indicator
	1 x WPS/WLAN LED indicator
	1 x LAN LED Indicator
	1 x LTE Internet LED indicator
	3 x Cellular Signal Strength LED Indicator
Dimensions	170mm (L) x 55mm (W) x 154mm (H)
Weight	Approx. 342g
Operating Temperature	-20°C ~ +50°C
Storage Temperature	-25°C ~ +70°C

Operating Humidity	5% ~ 95% (Non-condensing)
--------------------	---------------------------

Chipset and RAM Specifications

Main Chipset	ZX297520V3E, 3GPP Release 9, CAT4 modem
Flash	On-Chip 128MB Flash (ZX297520V3E)
RAM	On-Chip 64MB (ZX297520V3E)

4G/3G/2G Technical Specifications

Cellular Technology	LTE FDD, LTE-TDD, WCDMA, TD-SCDMA, EDGE, GPRS, GSM
Data Rate	LTE-FDD: Max 150Mbps DL / Max 50Mbps UL
	LTE-TDD: Max 130Mbps DL / Max 35Mbps UL
	WCDMA: Max 21Mbps DL / Max 5.76Mbps UL
	TD-SCDMA: Max 4.2Mbps DL / Max 2.2Mbps UL
	EDGE: Max 236.8Kbps DL / Max 118Kbps UL
	GPRS: Max 85.6Kbps DL / Max 85.6Kbps UL
	GSM: Max 9.6Kbps DL / Max 2.7Kbps UL
Rx Sensitivity	Compliance with 3GPP Release 9 Standard
Tx Output Power (Max)	LTE-FDD: 23dBm±2dB
	LTE-TDD: 23dBm±2dB
	WCDMA: 24dBm±1dB/-3dB
	TD-SCDMA: 24dBm±1dB/-3dB
	GSM: B5/B8: +33±2dB (Power Class 4)
	GSM: B2/B3: +30±2dB (Power Class 1)
Antenna Type	Internal Antenna (For C10 / C10V/ C10B / C10VB Model)
	External Detachable Antenna (For C10E, C10EV, C10EB, C10EVB Model)
Antenna Gain	2~3dBi

Cellular Band/Frequency (Europe version)

4G LTE-FDD	B1, B2, B3, B5, B7, B8, B20
------------	-----------------------------

4G LTE-TDD	B34, B38, B39, B40, B41
TD-SCDMA	B34, B39
WCDMA	B1, B2, B5, B8
GSM	850, 900, 1800, 1900 (Quad-Band)

Cellular Band/Frequency (Pacific version)

4G LTE-FDD	B1, B2, B3, B5, B7, B8, B28A, B28B
4G LTE-TDD	B38, B39, B40, B41
TD-SCDMA	B34, B39
WCDMA	B1, B2, B5, B8
GSM	850, 900, 1800, 1900 (Quad-Band)

Cellular Band/Frequency (China / India version)

4G LTE-FDD	B1, B3, B5, B8
4G LTE-TDD	B34, B38, B39, B40, B41
TD-SCDMA	B34, B39
WCDMA	B1, B8
GSM	900, 1800

Cellular Band/Frequency (America version)

4G LTE-FDD	B2, B3, B4, B5, B7, B8, B28A, B28B, B66
WCDMA	B2, B4, B5, B8
GSM	850, 900, 1800, 1900 (Quad-Band)

WiFi Specifications

WiFi Standards	IEEE 802.11b/g/n
Frequency	2.4GHz 802.11n MIMO 300Mbps
Channel Bandwidth	20MHz, 40MHz
Tx / Rx	2T2R 300Mbps
MIMO	2x2

Modulation	802.11b: DQPSK, DBPSK, DSSS, CCK
	802.11g: BPSK, QPSK, 16QAM, 64QAM with OFDM
	802.11n: BPSK, QPSK, 16QAM, 64QAM with OFDM (HT20 and HT40)
WiFi Encryption	Open, WPA-PSK, WPA2-PSK
Peak Rate	IEEE 802.11b: 11Mbps
	IEEE 802.11g: 54Mbps
	IEEE 802.11n: 300Mbps
Antenna Type	Internal Antenna
Antenna Gain	3dBi
Concurrent Users	Max. 32 Users

Software Specifications

Language Support	Mandarin, English
IP Protocol	IPv4 and IPv6
SIM Management	PIN, PUK Management
Network Connection Management	Manual / Auto
LTE Scan Mode	Full Band Scan, Frequency Lock, PCI Lock
WLAN	WPS Function
VPN	L2TP, PPTP
NAT	Port Forwarding
	DMZ
Firewall	IP/MAC/URL Filter
	Access Control
	SYN Flood
	TCP Port Scan
	Death of Ping
Diagnostics	TCP Dump
	Ping
	Trace Route
Statistics	LTE Status

	Connection Time
	System Up Time
	Device Status
	DHCP Client List
	WiFi Station List
	Firewall Status
Maintenance	Date & Time Setting
	Reboot
	Restore Factory Settings
	Restore / Backup Configuration File
System Log	Operating Log
	Run Time Log
	Filter / Select / Display / Export Log
Optional	VoLTE/CSFB (Available in C10V, C10VB, C10EV, C10EVB Models)
	TR069

Order Information

Model	External Antenna (4G)	VoLTE Voice Call (RJ11)	Build-In Backup Battery
C10	✗	✗	✗
C10V	✗	✓	✗
C10B	✗	✗	✓
C10E	✓	✗	✗
C10EV	✓	✓	✗
C10VB	✗	✓	✗
C10EB	✓	✗	✓
C10EVB	✓	✓	✓

To see more MovingComm products,

Visit:-

Movingcomm official website <http://www.movingcomm.com/en>

Movingcomm Alibaba global site: <https://movingcomm.en.alibaba.com>

INFORMATION IN THIS DOCUMENT IS PROVIDED IN CONNECTION WITH MOVINGCOMM PRODUCTS. NO LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE, TO ANY INTELLECTUAL PROPERTY RIGHTS IS GRANTED BY THIS DOCUMENT. EXCEPT AS PROVIDED IN MOVINGCOMM'S TERMS AND CONDITIONS OF SALE FOR SUCH PRODUCTS, MOVINGCOMM ASSUMES NO LIABILITY WHATSOEVER, AND MOVINGCOMM DISCLAIMS ANY EXPRESS OR IMPLIED WARRANTY, RELATING TO SALE AND/OR USE OF MOVINGCOMM PRODUCTS INCLUDING LIABILITY OR WARRANTIES RELATING TO FITNESS FOR A PARTICULAR PURPOSE, MERCHANTABILITY, OR INFRINGEMENT OF ANY PATENT, COPYRIGHT OR OTHER INTELLECTUAL PROPERTY RIGHT. UNLESS OTHERWISE AGREED IN WRITING BY MOVINGCOMM, THE MOVINGCOMM PRODUCTS ARE NOT DESIGNED NOR INTENDED FOR ANY APPLICATION IN WHICH THE FAILURE OF THE MOVINGCOMM PRODUCT COULD CREATE A SITUATION WHERE PERSONAL INJURY OR DEATH MAY OCCUR.

MovingComm may make changes to specifications and product descriptions at any time, without notice. Buyers must receive a confirmation from MovingComm prior using the product. MovingComm shall have no responsibility whatever for conflicts or incompatibilities arising from future changes to them.

Copyright © 2013-2021 Shenzhen MovingComm Technology Co., Ltd. All rights reserved.

深圳星恒讯科技有限公司

SHENZHEN MOVINGCOMM TECHNOLOGY CO., LTD.

Addr: 4F, No. 5 Building, TongFuKang ShuiTian Industrial Zone,
ChangCheng Road, ShuiTian Community, ShiYan, BaoAn
District, 518108 ShenZhen, GuangDong, China

Tel: 86-755-23125215

Fax: 86-755-23125215-802

Email: sales@movingcomm.com

